


INSTALLATION INSTRUCTIONS

Product name TRAFICGARD – System-Fit Steel Grating
Product type Luggage and dog guard Fit
Item No. 20008000, 20008001, 20008002, 20008003
 20008004, 20008005, 20008006, 20008007
Attachment To the vehicle headrests
Use Passenger cars and estate cars
Version and features Sizes from XXXS to XXL






kleinmetall GmbH
 Hainstraße 52
 63526 Erlensee
 Phone +49 6183.91120-0
 Fax +49 6183.72152
 E-Mail info@kleinmetall.de
 www.kleinmetall.de

! Please read these instructions carefully and store them in a safe place.
! Whenever the guard is used, make sure it is correctly mounted!








1. TRAFICGARD ALLROUND grid
2. Plastic connecting element with screws
3. Headrest bracket with screws
4. Adjustment sleeves
5. Clamping screw
6. Connecting rod with teeth
7. Toothed washer
8. Knurled-head screw M8
9. Allen key


ATTENTION:
 For vehicles with active headrests, please consult your car dealer before installation!
 Make sure that the belt systems are free to move!



INSTALLATION INSTRUCTIONS



INSTALLATION INSTRUCTIONS



Handling:

The transport grid can stay in the car. Make sure that the guard is centrally positioned in the vehicle and that all the mounting parts are fixed tight. **Please leave the two seats where the guard is mounted at the same height.**

Safety instructions:

- Before travelling, check all the mounting parts for tight fit!
Retighten screws and clamps if necessary.
- Always secure heavy load with additional tensioning straps.
- The transport of people behind the guard is prohibited.
- Make sure there is sufficient clearance to the side headliner in vehicles equipped with window airbags.

Cleaning instructions:

Use neutral soap lye to clean the guard and all the mounting parts from dirt and dog hair from time to time.

Important maintenance instruction:

Carry out regular maintenance (visual inspections) and replace TRAFICGARD System-Fit Steel Grating if damaged and/or worn.